

9. REFERENCES

- [1] C. Meredith, J. Edworthy, "Are there too many alarms in the intensive care unit? An overview of the problems." *Journal of advanced nursing*, vol. 21, no.1, pp. 15-20, January 1995.
- [2] J. Edworthy, S. Loxley, I. Dennis. "Improving auditory warning design: Relationship between warning sound parameters and perceived urgency." *Human factors*, vol. 33, no. 2, pp. 205-231, April 1991.
- [3] D. Wade, C. Brewin, D. Howell, E. White, M. Mythen, J. Weinman. "Intrusive memories of hallucinations and delusions in traumatized intensive care patients: an interview study." *British Journal of Health Psychology*, vol. 20, no. 3, pp. 613-631, June 2014.
- [4] P. Pandharipande, T. Girard, J. Jackson, et al. "Long-term cognitive impairment after critical illness." *New England Journal of Medicine*, vol. 369, no. 14, pp. 1306-1316, October 2013.
- [5] N. Lutter, S. Urankar, S. Kroeber. "False alarm rates of three third-generation pulse oximeters in PACU, ICU and IABP patients." *Anesthesia and analgesia*, vol. 94, no. 1, pp. 69-75, November 2002.
- [6] I. Lehiste, G. Peterson. "Linguistic considerations in the study of speech intelligibility." *The Journal of the Acoustical Society of America*. vol. 31, no. 3, pp. 280-286. March 1959.
- [7] E. Thorndike, I. Lorge. "The Teacher's Word Book of 30,000 Words. (Teachers College, Columbia University Press, New York, 1952).